DOMETO
PATENTS.

British—
24813-14.
102300.
114732.
U.S.A.—
1236896.
238249.

DOMETO

(REGISTERED)

SERIES
A

INTER-LOCKING BUILDING MATERIAL.

PATENT.

INSTRUCTION BOOK FOR BOXES 1 to 4.

COPYRIGHT.

THE IMPROVED SOLIDITE CO., LTD.,

JEWS ROW, WANDSWORTH, LONDON, S.W. 18.

NO. 2

Thos Brough & Cox, Printers, Donegall St., Belfast.

PRICE 9D

https://retrobuildingtoys.nl/

DOMETO was first produced in 1915, the parts being made of wood. For five years rapidly increasing sales proved the popularity of the toy. It was found difficult however to secure accurate standardisation of the parts, owing to the liability of the material to warp or shrink, and to the variation inevitable with wood-working machinery.

The manufacturing rights in the DOMETO Patents have now been acquired by THE IMPROVED SOLIDITE CO., LTD., who have produced a new issue of the toy in their SOLIDITE composition. As the parts are now moulded under pressure in steel dies, accuracy of fit is ensured, and it has also been possible to simplify greatly the inter-locking and to introduce many other improvements which were impossible in wooden bricks.

The bricks interlock by means of studs and sockets instead of tongues and grooves as formerly. This method obviates the necessity for special corner bricks, and has the further advantage of concealing the inter-locking when the structure is complete.

The material is thoroughly hygienic and if the parts get dirty they can be washed in lukewarm water, with any cleansing soap, such as "Vim."

By combining two or more boxes of the same series, larger models may be built and greater variety of architecture is possible. By combining boxes from more than one series, other kinds of buildings, such as Churches, Railway Stations, etc., can be made.

Supplementary boxes can be had for converting outfits into larger sizes. Extra parts can also be obtained separately or in small accessory sets. *See Price List at the end of the book.*

https://retrobuildingtoys.nl/

GENERAL INSTRUCTIONS.

Commencing with the first model in the book, build each one in succession as far as your outfit will allow. If you try to begin with the more advanced models, it will be like commencing arithmetic in the middle of the book before you have mastered the simple rules, but if you follow the order arranged and read all the instructions carefully your work will be easy. Before commencing to build, sort out the parts required. Much time will be wasted in searching for them if they are scattered.

For each model a list is given of the parts with which it can be built. Many alternatives are possible, and you need not confine yourself either to particular parts or arrangement shown if you can build the model another way. In most cases the models should be left open at the back or on one side, to afford access to the interior.

The designs shown in this book are intended to illustrate the uses of the various parts. Many more models can be built with the same material, and after completing all those for which instructions are given you should try to work out some original ideas.

In building walls or roofs, be careful wherever possible to "break the joints," *i.e.*, see that the crevice between two pieces is not vertically in line with a crevice in the next course above or below.

Box 1 builds Models 1 to 10.
„ 2 „ „ 1 „ 15.

Box 3 builds Models 1 to 25.
„ 4 „ „ 1 „ 40.

https://retrobuildingtoys.nl/

List and Description of Parts contained in Series A—Boxes 1 to 4.

COMPOSITION PARTS.

Part	DESCRIPTION	Box 1	Box 2	Box 3	Box 4
1	Standard Brick ¾"	...	2	4	4
2	" " 1½"	2	4	6	10
3	" " 2¼"	2	2	2	4
4	" " 3"	2	4	6	6
*5	Variation of No. 1	2	2	2	2
*6	" " 2	1	1	1	1
*7	" " 2	1	1	1	1
8	Door Frame	1	1	1	1
9	Door	1	1	1	1
10	Window	1	1	2	3
*11	Gutter Brick ¾"—left	1	1	1	1
*12	" " ¾"—right	1	1	1	1
*13	" " 1½"—left	1	1	2	2
*14	" " 1½"—right	1	1	2	2
*15	" " 1½"—centre	3	5	5	5
*16	Variation of No. 15	...	..	...	2
17	Bevelled Gable Brick 1½"	4	4	8	8
18	Triangular Brick for Apex of Gable	2	2	2	3
19	Tile ¾"	4	4	5	8
20	" 1½"	8	10	17	20
21	Ridge Tile ¾"	2	2	2	2
22	" " 1½"	2	3	4	5
*23	Variation of No. 2	...	1	1	2
*24	Variation of No. 2, with Projecting Edge	...	...	...	1
25	Coping Brick for Chimney	...	1	1	1
26	Chimney Pot	...	2	2	2
27	Tile without Grooved Edge ¾"	...	...	1	2

* 5 6 7 12 11 14 13 15 16 23 24

https://retrobuildingtoys.nl/

WOODEN PARTS. BEAMS OR JOISTS, $\frac{1}{2}$" x $\frac{1}{4}$".

Part	101	102	103	104	105	106	107	108	109	151	152	153	154	155	156	157	158	159
Length	2"	$2\frac{3}{4}$"	$3\frac{1}{2}$"	$4\frac{1}{4}$"	5"	$5\frac{3}{4}$"	$6\frac{1}{2}$"	$7\frac{1}{4}$"	8"	$2\frac{1}{2}$"	$3\frac{1}{4}$"	4"	$4\frac{3}{4}$"	$5\frac{1}{2}$"	$6\frac{1}{4}$"	7"	$7\frac{3}{4}$"	$8\frac{1}{2}$"
Box 1 contains	2	2	2	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...
,, 2 ,,	2	2	2	2	2	...	...	...	...	1	1	1	1	1	...	...	...	...
,, 3 ,,	2	2	2	2	2	2	2	...	...	1	1	1	1	1	1	1	...	...
,, 4 ,,	2	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1	1

RAFTERS, $\frac{5}{16}$" x $\frac{1}{4}$" BEVELLED ENDS.

Part	121	122	123	124	125
Length	$2\frac{1}{4}$"	$3\frac{1}{2}$"	$4\frac{3}{4}$"	6"	$7\frac{1}{4}$"
Box 1 contains	3	3	1	...	...
,, 2 ,,	3	3	2	...	...
,, 3 ,,	3	7	3	...	...
,, 4 ,,	3	7	4	4	4

Wood for cutting into extra beams and rafters can be purchased in bundles of 12 pieces, 12 inches long.

See Price List at the end of the book.

NOTE.—Part 5 may be used instead of part 1 and parts 6, 7, 23 or 24 instead of part 2, if placed so that the holes or sockets do not show. Part 11 or 12 may be used instead of part 1 or 5, and part 13, 14 or 15 instead of part 2, in positions where the gutter can be turned inwards. Part 16 may always be used instead of part 15.

https://retrobuildingtoys.nl/

Model 1. Sentry Box.



PARTS REQUIRED.

*2	Part	1
*5	„	2
2	„	3
2	„	4
1	„	11
1	„	12
1	„	13
1	„	14
4	„	17
2	„	18
3	„	19
3	„	20
1	„	21
1	„	22

* See note on previous page.

First and Third Courses:

Sides	...	No. 2
Back	...	4

Second Course:

Sides	...	No. 3
Back	...	2 of „ 1

Fourth Course:

Left side	...	13 and 12
Right side	...	11 „ 14
Back	...	2 (or 15)

https://retrobuildingtoys.nl/

Model 2. Open Shed.

PARTS REQUIRED.

4	Part	2
2	,,	3
2	,,	4
1	,,	11
1	,,	12
1	,,	13
1	,,	14
3	,,	15
4	,,	17
2	,,	18
2	,,	19
8	,,	20
2	,,	21
2	,,	22
2	,,	103
3	,,	122
1	,,	153

The eaves pieces (parts 15) across the open front are fitted on a beam (part 103) the ends of which fit into parts 11 and 12. The back eaves may also be joined by a beam the ends of which fit into parts 13 and 14. Before putting on the roof, fit the ridge beam (part 153) into position between the two parts 18, then insert the end of a rafter (part 122) into the upper socket of each back eaves piece, letting the other end abut against the ridge beam.

https://retrobuildingtoys.nl/

Model 3.

This Model is built in the same way as Model 2, the front being filled in with the parts shown in the illustration. The bottom brick on the right side of the door must be No. 6, and on the left side No. 5, as these fit on the projecting studs on the sides of the door frame.

https://retrobuildingtoys.nl/

Model 4.

PARTS REQUIRED.

1	Part	1
1	,,	2
2	,,	3
2	,,	4
1	,,	5
1	,,	6
1	,,	8
1	,,	9
1	,,	10
1	,,	11
1	,,	12
1	,,	13
1	,,	14
3	,,	15
4	,,	17
2	,,	18
2	,,	19
8	,,	20
2	,,	21
2	,,	22
2	,,	103
3	,,	121
1	,,	153

The bottom brick on the right side of the door is No. 6.

Back view of the same.

https://retrobuildingtoys.nl/

Model 5.

The bricks at the back are Nos. 4 and 3. The other side is solid.

PARTS REQUIRED.

2	Part	1
2	„	2
2	„	3
2	„	4
1	„	6
1	„	7
1	„	8
1	„	9
1	„	10
1	„	11
1	„	12
1	„	13
1	„	14
3	„	15
4	„	17
2	„	18
4	„	19
4	„	20
2	„	22
2	„	101
1	„	151

Model 6.



PARTS REQUIRED.

2	Part	1
4	„	2
2	„	3
2	„	4
1	„	11
1	„	12
1	„	13
1	„	14
3	„	15
4	„	17
2	„	18
3	„	20
2	„	21
2	„	22
2	„	103
1	„	153

https://retrobuildingtoys.nl/

Model 7. Pig-sty.



PARTS REQUIRED.

1	Part	1
4	„	2
2	„	3
2	„	4
1	„	11
1	„	12
1	„	13
1	„	14
2	„	15
4	„	17
2	„	18
3	„	19
6	„	20
1	„	21
2	„	22
2	„	102
2	„	122
1	„	152

Model 8.

PARTS REQUIRED.

2	Part	1
2	„	2
2	„	3
2	„	4
1	„	6
1	„	7
1	„	8
1	„	9
1	„	10
1	„	11
1	„	12
1	„	13
1	„	14
4	„	17
1	„	18
3	„	20
1	„	22

https://retrobuildingtoys.nl/

Model 9. Fowl House.

PARTS REQUIRED.

1	of	No.	1
1	„	„	2
1	„	„	4
1	„	„	5
1	„	„	7
1	„	„	8
1	„	„	9
1	„	„	11
1	„	„	12
1	„	„	13
1	„	„	14
1	„	„	15
4	„	„	17
1	„	„	18
4	„	„	19
8	„	„	20
2	„	„	21
1	„	„	22
2	„	„	101
1	„	„	121
2	„	„	123

The back of this Model is open. The roof will hold together without support at the back, but it is preferable to strengthen it by rafters 121 and 123. The back may be closed by 1 each of parts 4, 3 and 2, and 4 extra parts 17. The latter may be bought separately or, more profitably, in Accessory Box, No. 102.

https://retrobuildingtoys.nl/

Model 10.



PARTS REQUIRED.

2	Part	2
2	,,	3
2	,,	4
2	,,	5
1	,,	8
1	,,	9
1	,,	10
1	,,	11
1	,,	12
1	,,	13
1	,,	14
1	,,	15
4	,,	17
1	,,	18
4	,,	19
8	,,	20
2	,,	21
1	,,	22
2	,,	101
3	,,	122

The back is open and the roof should be supported by rafters.

If Accessory Boxes 101, 102 and 103 are added to Box 1, the model may be extended to 4½ inches in depth and the back may be built up; or it may be further extended, with another window in the back, if built from Box 3 or any larger outfit.

This completes the designs given for Box 1. By adding Supplementary Box, No. 1A, the outfit is made equivalent to Box No. 2, from which the next five models can be built, and others similar to those already illustrated, but larger.

https://retrobuildingtoys.nl/

Model 11. Cottage.

PARTS REQUIRED.

2	Part	1	5	Part	15
6	,,	2	4	,,	17
2	,,	3	1	,,	18
4	,,	4	3	,,	19
2	,,	5	10	,,	20
1	,,	8	1	,,	21
1	,,	9	3	,,	22
1	,,	10	1	,,	23
1	,,	11	1	,,	25
1	,,	12	2	,,	26
1	,,	13	2	,,	105
1	,,	14	1	,,	155

In the left gable, brick 23 is used instead of 18. The back of the Model is left open, the eaves pieces being supported on a beam as in Model 2.

https://retrobuildingtoys.nl/

Model 12.



The back is open.

* Part 2 may be used instead of Part 1 at one of the back corners.

PARTS REQUIRED.

*4	Part	1
5	,,	2
2	,,	3
4	,,	4
1	,,	5
1	,,	6
1	,,	8
1	,,	9
1	,,	10
1	,,	11
1	,,	12
1	,,	13
1	,,	14
4	,,	15
4	,,	17
2	,,	18
3	,,	19
9	,,	20
1	,,	21
3	,,	22
2	,,	104
3	,,	122
1	,,	154

Model 13.

The other two walls are built solid.

PARTS REQUIRED.

2	Part	1
8	,,	2
2	,,	3
4	,,	4
2	,,	5
1	,,	8
1	,,	9
1	,,	10
1	,,	11
1	,,	12
1	,,	13
1	,,	14
3	,,	15
4	,,	17
2	,,	18
4	,,	19
7	,,	20
3	,,	22
2	,,	103
3	,,	121
1	,,	153

https://retrobuildingtoys.nl/

Model 14.





Back

PARTS REQUIRED.

2	Part	1	1	Part	14
6	,,	2	2	,,	15
2	,,	3	4	,,	17
4	,,	4	2	,,	18
1	,,	5	3	,,	19
1	,,	6	8	,,	20
1	,,	8	2	,,	21
1	,,	9	1	,,	22
1	,,	10	1	,,	25
1	,,	11	2	,,	26
1	,,	12	2	,,	102
1	,,	13	2	,,	123

If this Model is built from a larger outfit than No. 2, use a part 17 instead of 18 in the third course at the back, and parts 1 and 17 instead of 2 in the fourth course.

https://retrobuildingtoys.nl/

Model 15.

PARTS REQUIRED.

6	Part	1	1	Part	14
6	„	2	2	„	15
2	„	3	4	„	17
4	„	4	1	„	18
1	„	6	4	„	19
1	„	7	8	„	20
1	„	8	2	„	21
1	„	9	1	„	22
1	„	10	2	„	101
1	„	13	2	„	122

The back is open as in Model 10. Parts 11 and 12 may be used as substitute for two of part 1, and a part 15 for a part 2.

This completes the designs given for Box 2. By adding Supplementary Box 2A the outfit is made equivalent to Box 3, from which the next 10 Models can be built, as well as many variations of those already illustrated.

https://retrobuildingtoys.nl/

Model 16.

This and the next four Models are open at the back up to the eaves.

PARTS REQUIRED.

4	Part	1
9	„	2
2	„	3
6	„	4
2	„	5
1	„	8
1	„	9
2	„	10
1	„	11
1	„	12
1	„	13
1	„	14
5	„	15
8	„	17
1	„	18
5	„	19
17	„	20
1	„	21
3	„	22
1	„	23
1	„	25
2	„	26
2	„	105
7	„	122
1	„	155

Model 17.

PARTS REQUIRED.

5	Part	1	1	Part	11	5	Part	22
6	„	2	1	„	12	1	„	25
2	„	3	2	„	13	2	„	26
6	„	4	2	„	14	1	„	27
1	„	6	5	„	15	1	„	103
1	„	7	4	„	17	1	„	107
1	„	8	2	„	18	3	„	121
1	„	9	5	„	19	3	„	122
2	„	10	16	„	20	1	„	157

https://retrobuildingtoys.nl/

Model 18.

The bottom bricks next to the door are parts 6 and 7, and the middle brick part 3. The third course of the buttress is part 2.

PARTS REQUIRED.

8	Part	1
6	,,	2
2	,,	3
5	,,	4
1	,,	6
1	,,	7
1	,,	8
1	,,	9
2	,,	10
2	,,	13
2	,,	14
4	,,	15
8	,,	17
2	,,	18
4	,,	19
10	,,	20
4	,,	22
2	,,	105
1	,,	155

Model 19.

The bottom brick on the left side of the door is No. 5 and above it 2 of No. 2, parts of which are seen in the illustration. Across the top of the door is No. 4.

PARTS REQUIRED.

4	Part	1
10	,,	2
2	,,	3
6	,,	4
2	,,	5
1	,,	8
1	,,	9
2	,,	10
1	,,	11
1	,,	12
2	,,	13
2	,,	14
4	,,	15
6	,,	17
1	,,	18
4	,,	19
14	,,	20
4	,,	22
1	,,	23
1	,,	25
2	,,	26
1	,,	103
1	,,	106
3	,,	121
3	,,	122
1	,,	156

https://retrobuildingtoys.nl/

Model 20.

The bottom brick on the left side of the door is No. 7. A No. 4 brick is placed across the porch behind the eaves pieces, one end of which appears in the illustration on the left side of the upper window.

PARTS REQUIRED.

5	Part	1
8	,,	2
2	,,	3
6	,,	4
1	,,	5
1	,,	7
1	,,	8
1	,,	9
2	,,	10
1	,,	11
1	,,	12
2	,,	13
2	,,	14
3	,,	15
6	,,	17
1	,,	18
3	,,	19
12	,,	20
1	,,	21
3	,,	22
1	,,	23
1	,,	25
2	,,	26
2	,,	101
1	,,	105
3	,,	121
2	,,	122
1	,,	155

Model 21.



The other side is the same as that shown, and the back is solid.

PARTS REQUIRED.

4	Part	1
9	,,	2
2	,,	3
6	,,	4
2	,,	5
1	,,	8
1	,,	9
2	,,	10
1	,,	11
1	,,	12
2	,,	13
2	,,	14
1	,,	15
6	,,	17
2	,,	18
4	,,	19
6	,,	20
2	,,	21
1	,,	22
2	,,	101
1	,,	151

https://retrobuildingtoys.nl/

Model 22.



A No. 4 brick is placed across the back of the porch to support the gable wall of the main building.

PARTS REQUIRED.

4	Part	1
9	"	2
2	"	3
5	"	4
2	"	5
1	"	8
1	"	9
2	"	10
1	"	11
1	"	12
2	"	13
2	"	14
3	"	15
8	"	17
2	"	18
3	"	19
13	"	20
1	"	21
3	"	22
1	"	23
1	"	25
2	"	26
2	"	103
2	"	121
3	"	122
1	"	153

https://retrobuildingtoys.nl/

Model 23.



PARTS REQUIRED.

5	Part	1	2	Part	15
9	„	2	8	„	17
2	„	3	2	„	18
6	„	4	4	„	19
1	„	5	8	„	20
1	„	7	3	„	22
1	„	8	1	„	23
1	„	9	1	„	25
2	„	10	2	„	26
1	„	11	2	„	102
1	„	12	2	„	121
2	„	13	1	„	152
2	„	14			

https://retrobuildingtoys.nl/

Model 24.



PARTS REQUIRED.

4	Part	1	6	Part	17
10	„	2	2	„	18
2	„	3	12	„	19
6	„	4	11	„	20
2	„	5	1	„	21
1	„	8	3	„	22
1	„	9	1	„	25
2	„	10	2	„	26
1	„	11	1	„	27
1	„	12	1	„	101
2	„	13	1	„	104
2	„	14	1	„	122
2	„	15	3	„	123

To make the roof as shown in the illustration requires 7 more small tiles than Box 3 contains. If the joints are not regularly broken a roof may be made with 4 of part 19 and 13 of part 20, extending on the right side 1½ inches beyond the chimney.

https://retrobuildingtoys.nl/

Model 25.

Back same as front, except door.

PARTS REQUIRED.

4	Part	1
8	„	2
2	„	3
6	„	4
2	„	5
1	„	8
1	„	9
2	„	10
2	„	13
2	„	14
8	„	17
2	„	18
4	„	19
4	„	20
2	„	22
2	„	101
1	„	151

This completes the models which can be built from Box 3. By adding supplementary Box 3A the outfit is made equivalent to Box 4, from which the next 15 models can be built, and many of the preceding ones can be built on a larger scale or varied in design.

Any of the models may be surrounded by walls or fences, with gates, which can be made from the outfits in Series B. By adding towers and arched porches from the outfits of Series C, churches and other interesting models may be built.

Accessory Boxes containing assortments of extra parts will be found useful for working out original designs. *See Price List at the end of the book.*

https://retrobuildingtoys.nl/

Model 26.



The back is open. The left end is built with a window in the middle of the fourth course.



Middle Wall.

PARTS REQUIRED.

4	Part	1	*9	Part	19
14	„	2	20	„	20
3	„	3	2	„	21
6	„	4	5	„	22
2	„	5	1	„	23
1	„	8	1	„	25
1	„	9	2	„	26
3	„	10	1	„	27
1	„	11	1	„	101
1	„	12	1	„	105
2	„	13	1	„	109
2	„	14	3	„	121
7	„	15	7	„	122
8	„	17	1	„	151
3	„	18	1	„	155

* Part 27 may be used for one of these.

https://retrobuildingtoys.nl/

Model 27.

The backs of this and the next three Models are open to the eaves.

PARTS REQUIRED.

1	Part	1
14	,,	2
2	,,	3
6	,,	4
2	,,	5
1	,,	8
1	,,	9
3	,,	10
1	,,	11
1	,,	12
1	,,	13
1	,,	14
5	,,	15
8	,,	17
2	,,	18
5	,,	19
20	,,	20
2	,,	21
3	,,	22
1	,,	25
2	,,	26
1	,,	27
2	,,	105
4	,,	122
3	,,	123
1	,,	155

Model 28.



PARTS REQUIRED.

3	Part	1	1	Part	11	4	Part	22
9	,,	2	1	,,	12	1	,,	23
3	,,	3	2	,,	13	1	,,	25
6	,,	4	2	,,	14	2	,,	26
2	,,	5	4	,,	15	1	,,	103
1	,,	8	8	,,	17	1	,,	106
1	,,	9	1	,,	18	1	,,	121
3	,,	10	7	,,	19	7	,,	122
			17	,,	20	1	,,	156

https://retrobuildingtoys.nl/

Model 29.

PARTS REQUIRED.

2	Part	1
16	„	2
4	„	3
6	„	4
2	„	5
1	„	8
1	„	9
3	„	10
1	„	11
1	„	12
1	„	13
1	„	14
5	„	15
4	„	17
1	„	18
3	„	19
10	„	20
1	„	21
3	„	22
1	„	23
1	„	25
2	„	26
2	„	105
1	„	155

Model 30.

The bottom brick at the left side of the door is No. 7.

PARTS REQUIRED

5	Part	1
13	„	2
4	„	3
6	„	4
1	„	5
1	„	7
1	„	8
1	„	9
3	„	10
1	„	11
1	„	12
2	„	13
2	„	14
4	„	15
6	„	17
1	„	18
3	„	19
13	„	20
4	„	22
1	„	23
1	„	25
2	„	26
1	„	103
1	„	106
2	„	121
3	„	122
1	„	156

https://retrobuildingtoys.nl/

Model 31.



PARTS REQUIRED.

5	Part	1	8	Part	17
13	„	2	2	„	18
4	„	3	5	„	19
4	„	4	20	„	20
1	„	5	1	„	21
1	„	6	5	„	22
1	„	8	1	„	23
1	„	9	1	„	25
3	„	10	2	„	26
1	„	11	2	„	107
1	„	12	3	„	121
2	„	13	5	„	122
2	„	14	1	„	157
7	„	15			

The back is open for 6 inches. The wall at the back of the porch is similar to that in Model 22, but 3" long. The bottom brick on the right side of the door is No. 6.

https://retrobuildingtoys.nl/

Model 32.



PARTS REQUIRED.

4	Part	1	2	Part	13	1	Part	24
14	„	2	2	„	14	1	„	25
4	„	3	6	„	15	2	„	26
6	„	4	1	„	16	2	„	27
2	„	5	6	„	17	1	„	109
1	„	8	2	„	18	3	„	121
1	„	9	6	„	19	6	„	122
3	„	10	19	„	20	1	„	159
1	„	11	2	„	21			
1	„	12	5	„	22			

The bottom brick on each side of the door is No. 5. The bricks each side between door and window are No. 2, which are tied across the door, behind the eaves, by a No. 4. To build the chimney, fit a rafter (part 121) into part 16 in the back eaves, then place part 24 so that the groove in the brick fits over the rafter. On this build 2 part 1, part 2, 2 part 1, chimney coping and pots. Use 2 tiles No. 27, behind the chimney stack.

https://retrobuildingtoys.nl/

Model 33.



PARTS REQUIRED.

5	Part	1
12	,,	2
4	,,	3
6	,,	4
1	,,	5
1	,,	7
1	,,	8
1	,,	9
3	,,	10
1	,,	11
1	,,	12
1	,,	13
1	,,	14
5	,,	15
8	,,	17
1	,,	18
5	,,	19
17	,,	20
1	,,	21
3	,,	22
1	,,	23
1	,,	25
2	,,	26
2	Part	105
7	,,	122
1	,,	155

Model 34.



PARTS REQUIRED.

15	Part	2	1	Part	14	1	Part	21
3	,,	3	6	,,	15	4	,,	22
6	,,	4	6	,,	17	2	,,	106
1	,,	11	2	,,	18	3	,,	121
1	,,	12	4	,,	19	4	,,	122
1	,,	13	16	,,	20	1	,,	156

https://retrobuildingtoys.nl/

Model 35.



PARTS REQUIRED.

*6	Part	1	3	Part	18
11	,,	2	7	,,	19
4	,,	3	11	,,	20
6	,,	4	1	,,	21
1	,,	5	4	,,	22
1	,,	6	2	,,	23
1	,,	8	1	,,	25
1	,,	9	2	,,	26
3	,,	10	1	,,	101
1	,,	11	2	,,	103
1	,,	12	1	,,	105
†3	,,	13	3	,,	121
2	,,	14	2	,,	122
6	,,	15	1	,,	152
8	,,	17	1	,,	153

*Or substitute a part 2 for one of these.

† ,, ,, ,, 16 ,, ,, ,,

https://retrobuildingtoys.nl/

Model 36.



The middle bottom brick at each end is No. 17.

PARTS REQUIRED.

4	Part	1	8	Part	17
14	„	2	3	„	18
4	„	3	6	„	19
6	„	4	8	„	20
2	„	5	3	„	21
1	„	8	4	„	22
1	„	9	1	„	23
3	„	10	1	„	25
1	„	11	2	„	26
1	„	12	2	„	101
2	„	13	1	„	107
2	„	14	4	„	121
5	„	15	1	„	151
2	„	16			

https://retrobuildingtoys.nl/

Model 37.

PARTS REQUIRED.

7	Part	1	3	Part	10	5	Part	22
14	,,	2	2	,,	13	1	,,	25
4	,,	3	2	,,	14	2	,,	26
6	,,	4	6	,,	15	1	,,	27
1	,,	6	8	,,	17	2	,,	107
1	,,	7	2	,,	18	3	,,	122
1	,,	8	5	,,	19	3	,,	123
1	,,	9	*26	,,	20	1	,,	157

*If built from Box 4 part of the roof at the back must be left open; or sufficient tiles to complete it may be purchased in Accessory Box 103.

The front wall is set back 1½ inches to form a verandah and locks into the side walls in the first and fourth courses. The first course consists of parts 2, 6, Door, 7, 2; and the fourth of parts 2, 3, 3, 2. The back is open, and the right side wall is solid.

https://retrobuildingtoys.nl/

Model 38.



PARTS REQUIRED.

6	Part	1
12	,,	2
4	,,	3
6	,,	4
1	,,	6
1	,,	7
1	,,	8
1	,,	9
1	,,	10
1	,,	11
1	,,	12
2	,,	13
2	,,	14
2	,,	15
8	,,	17
2	,,	18
4	,,	19
2	,,	20
3	,,	22
2	,,	103
1	,,	153

Model 39.

Back open and right side solid.

PARTS REQUIRED.

3	Part	1
14	,,	2
3	,,	3
6	,,	4
2	,,	5
1	,,	8
1	,,	9
3	,,	10
2	,,	13
2	,,	14
8	,,	17
1	,,	18
5	,,	19
7	,,	20
1	,,	21
1	,,	22
1	,,	23
1	,,	25
2	,,	26
2	,,	101
2	,,	123
1	,,	151

https://retrobuildingtoys.nl/

Model 40.



PARTS REQUIRED.

5	Part	1	1	Part	12	1	Part	24
12	,,	2	2	,,	13	1	,,	25
4	,,	3	1	,,	14	2	,,	26
6	,,	4	4	,,	15	2	,,	27
1	,,	5	7	,,	17	1	,,	103
1	,,	6	1	,,	18	1	,,	106
1	,,	8	8	,,	19	4	,,	123
1	,,	9	30	,,	20	4	,,	124
3	,,	10	1	,,	21			
1	,,	11	4	,,	22			

The eaves pieces along the left side are 11, 14, 13, 15, 14, the three last being joined by a beam 103. The back is open as in Model 24. The roof can only be partially built from Box 4. Sufficient tiles to complete the roof can be purchased in Accessory Box 103, and sufficient bricks to build up the back in Accessory Boxes 101 and 102. The Model can be built complete from Box 5, 6 or 7.

https://retrobuildingtoys.nl/

HOW TO CONTINUE.

After building all the preceding Models you should attempt some original designs. By adding a few extra parts, the Models here shown may be extended and varied in many interesting ways. Accessory sets may be had containing assortments of useful parts. *See Price List.*

Larger Models may also be built by combining additional outfits of any series. A few examples of such combinations are given on the following pages.

Any of the Models may be surrounded by walls or fences with gates, which can be made from the outfits in Series B. By adding towers and arched porches from the outfits of Series C, churches may be built. Series D contains parts for building stairs, steps, terraces, arches and bridges.

Supplementary Box 4A contains extra windows and bricks, also special parts for building porches and dormer windows. Added to Box 4 it makes the outfit equivalent to Box 5, and enables 20 more Models (for which designs are given) to be built, as well as many variations of those illustrated in this book.

Boxes 6 and 7 contains bricks for making a rigid base frame, enabling the Models to be lifted without collapsing; also stairs, wooden joists and floor boards, and larger quantities of all other parts.

https://retrobuildingtoys.nl/

Models built from two Outfits, No. 4.



https://retrobuildingtoys.nl/

Model built from two Outfits No. 4, and one No. 42.

Model built from three Outfits No. 4.

https://retrobuildingtoys.nl/

Price List of Supplementary Boxes and Separate Parts.

SUPPLEMENTARY BOXES.

No. 1A.	Converting No. 1 Outfit into No. 2	4/-
„ 2A.	„ „ 2 „ „ „ 3	5/6
„ 3A.	„ „ 3 „ „ „ 4	6/6
„ 4A.	„ „ 4 „ „ „ 5	10/6
„ 5A.	„ „ 5 „ „ „ 6	16/6
„ 6A.	„ „ 6 „ „ „ 7	65/-

ACCESSORY BOXES.

No. 101.	Containing one dozen assorted parts, Nos. 1, 2, 3 and 4	2/6
„ 102.	„ „ „ „ „ „ 17 and 18	2/6
„ 103.	„ „ „ „ „ „ 19, 20, 21 and 22	2/6
„ 104.	„ „ „ „ „ „ 2 23, 24, 25, 26 and 27	2/6

SEPARATE PARTS.

Composition Parts (except Doors and Windows)	each	4d.
Windows	„	9d.
Door and Frame with 2 Bricks No. 5		1/-
Wood for Beams or Joists	per bundle of 12 pieces, 12 inches long	1/-
„ „ Rafters	„ „ „ „ „	1/-
„ „ Flooring	„ „ „ „ „	1/-

If Boxes or Separate Parts are ordered direct from the manufacturers 6d. must be added to the price to cover packing and postage; any balance will be returned.

https://retrobuildingtoys.nl/

PRICE LIST OF DOMETO OUTFITS.

SERIES A: Building Houses, Farm Buildings, Shops, etc.

No. 1	...	With Instructions for 10 Models ...	7/6
,, 2	...	,, 15 ,, ...	10/6
,, 3	...	,, 25 ,, ...	15/-
,, 4	...	,, 40 ,, ...	21/-
,, 5	...	,, 60 ,, ...	30/-
,, 6	...	,, 80 ,, ...	45/-
,, 7	...	,, 100 ,, ...	105/-

SERIES B: Walls and Fences, with Gates.

No. 21	...	Walls and Gates	5/-
,, 22	...	Garden Fence and Gate	5/-
,, 23	...	Field Fence and Gate	5/-

SERIES C: Building Towers, Forts, Castles, etc.

No. 31	...	With Instructions for 10 Models ...	10/6
,, 32	...	,, 20 ,, ...	21/-

OTHER NUMBERS TO FOLLOW.

SERIES D: Building Bridges, Stairs, etc.

No. 41	...	With Instructions for 8 Models ...	6/-
,, 42	...	,, 15 ,, ...	12/6
,, 43	...	,, 20 ,, ...	21/-

Outfits at 21/- and upwards are in well-made wooden boxes; under 21/- in cardboard boxes

https://retrobuildingtoys.nl/